



EQUIPMENT CATALOGUE EXPORT

LIFTING EQUIPMENT and Original Accessories

EFFECTIVE FROM MAY 2023

REL. NOVEMBER 2023

COLOR TABLE

- 1) The standard company color of our lifting equipment is red RAL 3002 (-> /16 or /15) and grey RAL 7016 (/34).
- 2) Any request for special painting according to the official RAL table has a specific fee (the surcharge is listed in the price list based on the selected range of lifters).

	RAL 3002	Corghi /16
	RAL 3000 Citroen Red	/12
	RAL 7015 Mercedes Grey	/52
	RAL 7011 Mercedes Grey	/33
	RAL 7012 Mercedes Grey	/65
	RAL 7040 Volkswagen / Fiat / Porsche Grey	/39
	RAL 7030 Maserati / Ferrari Grey	/69
	RAL 7016 BMW Grey	/34 (orange-peel)
	RAL 5011 Peugeot Blue	/A4 or /22 (orange-peel)
	RAL 1003 Renault Yellow	/45
	RAL 7042 Renault Grey	/38
	RAL 9005 Lamborghini Black	/90 (orange-peel)

WARNING

THE CUSTOMIZATION KIT IS COMPULSORY AND MUST BE ALWAYS ORDERED TOGETHER WITH THE PART-NO. OF THE SELECTED LIFT.

Nexion SpA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

UNDER-WHEEL SCISSOR LIFTS

ERCO XT6500	
ERCO XT5000	
INSTALLATION CONFIGURATION - XT 6500	
INSTALLATION CONFIGURATION - XT 5000	
COMPULSORY ACCESSORIES - XT6500 - XT5000	
OPTIONAL ACCESSORIES - XT6500 - XT5000	
ERCO X5000 CON LIFT TABLE SERIES	
ERCO X5000 SENZA LIFT TABLE SERIES	
INSTALLATION CONFIGURATION - X5000 WITH LIFT TABLE	
INSTALLATION CONFIGURATION - X5000 WITHOUT LIFT TABLE	
COMPULSORY ACCESSORIES - X5000	
OPTIONAL ACCESSORIES - X5000	
ERCO X4300 SERIES	
INSTALLATION CONFIGURATION X4300	
OPTIONAL ACCESSORIES - X4300	

INGROUND LIFTS

ERCO IL635.2	
ERCO IL3502	
ERCO IL5502	
COMPULSORY ACCESSORIES	

UNDERBODY DOUBLE SCISSOR LIFTS - HIGH PROFILE

ERCO 351 T - IN PIT VERSION	
ERCO 401 T - IN PIT VERSION	
ERCO 351 E - IN PIT VERSION	
ERCO 401 E - IN PIT VERSION	
ACCESSORIES OPTIONAL - ERCO 351T-401T-351E-401E - IN PIT VERSION	

UNDERBODY DOUBLE SCISSOR LIFTS - LOW PROFILE

SERIES: ERCO 630 / 635 / 640	
ACCESSORIES FOR COMPLETION OF NEUTRAL INSTALLATION	

UNDERBODY DOUBLE SCISSOR LIFTS - LOW PROFILE ECO LINE

SERIES: ERCO 630 E / 635 E	
----------------------------	--

5	OPTIONAL ACCESSORIES	52
5	ERCO 3002 CBP	54
6		
7		
7	ELECTRO-MECHANICAL TWO POST LIFTS	54
8	ERCO 3512	55
11	COMPULSORY ACCESSORIES - ERCO 3002 CBP - ERCO 3512	56
15	OPTIONAL ACCESSORIES - ERCO 3002 CBP - ERCO 3512	57
16	ERCO 3212 N	58
17	ERCO 3222 N CEL	59
17	ERCO 4022 N CEL	60
18	ERCO 4022 ELX	61
21	ERCO 5022 CEL	62
25	COMPULSORY ACCESSORIES - ERCO 3212N-3222N-4022N-4022 ELX-5022 CEL	63
26	OPTIONAL ACCESSORIES - ERCO 3212N-3222N-4022N-4022 ELX-5022 CEL	64
29	SERIE ERCO H3202	66

33	ELECTRO-HYDRAULIC TWO POST LIFTS	66
33	COMPULSORY ACCESSORIES - ERCO H3202 SERIES	67
34	OPTIONAL ACCESSORIES - ERCO H3202 SERIES	67
35	ERCO H4002 E SERIES	68
36	ERCO H4002 N SERIES	69
	ERCO H5002 SERIES	70
	COMPULSORY ACCESSORIES - SERIES: ERCO H4002E - H4002N - H5002	71
40	OPTIONAL ACCESSORIES - SERIES: ERCO H4002E - H4002N - H5002	72
40	ERCO H5502 XV	73

41	ELECTRO-HYDRAULIC TWO POST LIFTS	73
41	COMPULSORY ACCESSORIES - H5502 XV	74
42	OPTIONAL ACCESSORIES - H5502 XV	74

44		
44	ELECTRO-HYDRAULIC FOUR POST LIFTS	75
46	ERCO 4004 SERIES	75
	ERCO 5004 SERIES	76
	COMPULSORY ACCESSORIES - SERIES: ERCO 4004 - 5004	77
50	OPTIONAL ACCESSORIES - SERIES: ERCO 4004 - 5004	77

UNDERBODY SCISSOR LIFTS - LOW PROFILE	79
SERIES: ERCO 500 / 505	79
OPTIONAL ACCESSORIES	81
 CAR LIFTING PLATFORMS	 83
ERCO 25 TP	83
OPTIONAL ACCESSORIES - ERCO 25 TP	84
 MOTORBIKE LINE	 85
BL600	85
BL300	85
OPTIONAL ACCESSORIES - BL600 - BL300	86
 AIR HYDRAULIC JACKS	 89
CA002 CE	89
CA118	89
CA240	89
CA240P	89
CA330	89
CA440	89
 LIFTS FOR TRUCKS AND INDUSTRIAL VEHICLES WITH MOBILE COLUMNS	 90
ERCO-LE 75 SERIES	90
ERCO-LE 55 SERIES	91
OPTIONAL ACCESSORIES - ERCO-LE 75- ERCO-LE 55	92
 SCISSORS LIFT FOR INDUSTRIAL VEHICLES	 94
SERIE BROOKLYN	94
COMPULSORY ACCESSORIES - BROOKLYN	99

ERCO XT6500



6500



Code	Electrical Supply	Description	
0-42110900/15	400-230V / 3Ph / 50-60Hz	ERCO XT6500 CT LT for complete alignment, Lift Table	
0-42110800/15	400-230V / 3Ph / 50-60Hz	ERCO XT6500 CT LT PT8 for complete alignment, Lift Table and 8 mov. Play detector.	
0-42111800/15	400-230V / 3Ph / 50-60Hz	ERCO XT6500 LT with Lift Table	

ERCO XT5000



Code	Electrical Supply	Description	
0-42111000/15	400-230V / 3Ph / 50-60Hz	ERCO XT5000 CT LT for complete alignment, Lift Table	

INSTALLATION CONFIGURATION - XT 6500

		Installation in pit		FLOOR Installation			
		A	B	C	D	E	F
		Flap and Front Stopper	Drive Through Ramps	Ramps on Floor	Hanging Ramps	Drive Through Ramps on floor	Drive Through hanging ramps
Accessory description		Q.ty	Q.ty	Q.ty	Q.ty	Q.ty	Q.ty
8-42120012	Floor ramp kit L = 1430 mm			1		2	
8-42120010	Flap wheel stop (2 pcs)	1	2	1		2	
8-42120011	Front wheel block kit (2 pcs)	1		1	1		
8-42120018	On-floor installation kit			1	1	1	1
8-42120019	In-pit installation kit	1	1				
8-42120013	Hang ramp kit (2 pcs)				1		2




INSTALLATION CONFIGURATION - XT 5000

		Installation in pit		FLOOR Installation	
		A	B	D	F
		Flap and Front Stopper	Drive Through Ramps	Hanging Ramps	Drive Through Hanging Ramps
Accessory description		Q.ty	Q.ty	Q.ty	Q.ty
8-42120002	Hang ramp kit (2 pcs)			1	2
8-42120000	Flap wheel stop (2 pcs)	1	2		
8-42120001	Front wheel block kit (2 pcs)	1		1	
8-42120020	On-floor installation kit			1	1
8-42120021	In-pit installation kit	1	1		




COMPULSORY ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Erco XT6500 CT LT	Erco XT6500 CT LT PT8	Erco XT5000 CT LT
	Flap wheel stop (2pcs)	8-42120010		O	O	-
	Front wheel block kit (2pcs)	8-42120011		O	O	-
	Floor ramps kit (2pcs) L=1430 mm	8-42120012		O	O	-

COMPULSORY ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Eroo XT6500 CT LT	Eroo XT6500 CT LT PT8	Eroo XT5000 CT LT
	On-foor installation kit	8-42120018		O	O	-
	In-pit installation kit	8-42120019		O	O	-
	Flap wheel stop (2pcs)	8-42120000		-	-	O

COMPULSORY ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Erco XT6500 CT LT	Erco XT6500 CT LT PT8	Erco XT5000 CT LT
	Front wheel block kit (2pcs)	8-42120001		-	-	O
	Hang ramps kit (2pcs)	8-42120002		-	-	O
	On-floor installation kit	8-42120020		-	-	O



COMPULSORY ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Erco XT6500 CT LT	Erco XT6500 CT LT PT8	Erco XT5000 CT LT
	In-pit installation kit	8-42120021		-	-	O


OPTIONAL ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Erco XT6500 CT LT	Erco XT6500 CT LT PT8	Erco XT5000 CT LT
	Hang ramps kit (2pcs) L=1800 mm	8-42120013		O	O	-


OPTIONAL ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Erco XT6500 CT LT	Erco XT6500 CT LT PT8	Erco XT5000 CT LT
	Pipes protection kit	8-42120014		O	O	-
	Angle protections kit for pipes	8-42120015		O	O	-
	Lighting kit (4 leds)	8-42120003		O	O	O
	Pipes extension kit, L = 1 m (HC1-T)	8-42120004		O	-	O
	Pipes extension kit, L = 2 m (HC2-T)	8-42120006		O	-	O
	Pipes extension kit, L = 1 m	8-42120026		-	O	-
	Pipes extension kit, L = 2 m	8-42120027		-	O	-
	Set of 4 extensions for pad (H=80 mm)	8-43300014		O	O	O

OPTIONAL ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Erco XT6500 CT LT	Erco XT6500 CT LT PT8	Erco XT5000 CT LT
	Set of 4 extensions for pad (H=140m)	8-43300015		O	O	O
	Set of 4 extensions for pad (H=35)	8-43300021		O	O	O
	Support beams (4 pcs)	8-42120007		O	O	O
	Pipes protections kit	8-42120008		-	-	O

OPTIONAL ACCESSORIES - XT6500 - XT5000

Image	Description	Code		Erco XT6500 CT LT	Erco XT6500 CT LT PT8	Erco XT5000 CT LT
	Angle protections kit for pipes	8-42120009		-	-	O

ERCO X5000 CON LIFT TABLE SERIES



5000
KG

Code	Electrical Supply	Description	
0-42108900/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 LT flat runways	
0-42109100/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 LT PT2 flat runways, 2 mov. play detector	
0-42109110/15	400V / 3Ph / 50Hz	ERCO X5000 LT PT2 FAST flat runways, 2 mov. play detector, FAST version	
0-42109150/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 LT PT6 flat runways, 6 mov. play detector	
0-42109160/15	400V / 3Ph / 50Hz	ERCO X5000 LT PT6 FAST flat runways, 6 mov. play detector, FAST version	
0-42109170/15	400V / 3Ph / 50Hz	ERCO X5000 LT PT6 WI FAST flat runways, 6 mov. play detector, FAST version, Wireless for play detector	
0-42110000/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 CT LT for complete alignment	
0-42105500/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 CT LT PT2 for complete alignment, 2 mov. play detector	
0-42105600/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 CT LT PT2 FAST for complete alignment, 2 mov. play detector, FAST version	
0-42110150/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 CT LT PT6 for complete alignment, 6 mov. play detector	
0-42110160/15	400V / 3Ph / 50Hz	ERCO X5000 CT LT PT6 FAST for complete alignment, 6 mov. play detector, FAST version	
0-42106870/15	400V / 3Ph / 50Hz	ERCO X5000 CT LT PT6 WI FAST for complete alignment, 6 mov. play detector, FAST version, Wireless for play detector	

ERCO X5000 SENZA LIFT TABLE SERIES



Code	Electrical Supply	Description	
0-42108800/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 flat runways	
0-42109000/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 PT2 flat runways, 2 mov. play detector	
0-42109010/15	400V / 3Ph / 50Hz	ERCO X5000 PT2 FAST flat runways, 2 mov. play detector, FAST version	
0-42109050/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 PT6 flat runways, 6 mov. play detector	
0-42109560/15	400V / 3Ph / 50Hz	ERCO X5000 PT6 FAST flat runways, 6 mov. play detector, FAST version	
0-42109570/15	400V / 3Ph / 50Hz	ERCO X5000 PT6 WI FAST flat runways, 6 mov. play detector, FAST version, Wireless for play detector	
0-42109200/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 CT for complete alignment	
0-42109300/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 CT PT2 for complete alignment, 2 mov. play detector	
0-42109310/15	400V / 3Ph / 50Hz	ERCO X5000 CT PT2 FAST for complete alignment, 2 mov. play detector	
0-42109350/15	400-230V / 3Ph / 50-60Hz	ERCO X5000 CT PT6 for complete alignment, 6 mov. play detector	
0-42109360/15	400V / 3Ph / 50Hz	ERCO X5000 CT PT6 FAST for complete alignment, 6 mov. play detector, FAST version	
0-42109370/15	400V / 3Ph / 50Hz	ERCO X5000 CT PT6 WI FAST or complete alignment, 6 mov. play detector, FAST version, Wireless for play detector	

INSTALLATION CONFIGURATION - X5000 WITH LIFT TABLE

		Flush Installation		On-Floor Installation			
		A	B	C	D	E	F
		Flap and Front Stopper	Drive Through Ramps	Ramps on Floor	Hanging ramps	Drive Through Ramps on floor	Drive Through hanging ramps
Accessory description		Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
8-42300048	Floor ramp kit L=1300 mm			1		2	
8-42300054	Flap wheel stop (2pcs)	1	2	1		2	
8-42300055	Front wheel block kit	1		1	1		
8-42300056	On-floor installation kit			1	1	1	1
8-42300057	In-pit installation kit	1	1				
8-42300063	Hang ramp kit L=1800 mm				1		2

INSTALLATION CONFIGURATION - X5000 WITHOUT LIFT TABLE

		Flush Installation		On-Floor Installation			
		A	B	C	D	E	F
		Flap and Front Stopper	Drive Through Ramps	Ramps on Floor	Hanging ramps	Drive Through Ramps on floor	Drive Through hanging ramps
Accessory description		Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
8-42300048	Floor ramp kit L=1300 mm			1		2	
8-42300054	Flap wheel stop (2pcs)	1	2	1		2	
8-42300055	Front wheel block kit	1		1	1		
8-42300056	On-floor installation kit			1	1	1	1
8-42300057	In-pit installation kit	1	1				
8-42300063	Hang ramp kit L=1800 mm				1		2


COMPULSORY ACCESSORIES - X5000

Image	Description	Code		ERCO X 5000 LT	ERCO X 5000 LT PT2	ERCO X 5000 LT PT2 FAST	ERCO X 5000 LT PT6	ERCO X 5000 LT PT6 FAST	ERCO X 5000 LT PT6 Wi FAST	ERCO X 5000 CT LT	ERCO X 5000 CT LT PT2	ERCO X 5000 CT LT PT2 FAST	ERCO X 5000 CT LT PT6	ERCO X 5000 CT LT PT6 FAST	ERCO X 5000 CT LT PT6 Wi FAST	ERCO X 5000	ERCO X 5000 PT2	ERCO X 5000 PT2 FAST	ERCO X 5000 PT6	ERCO X 5000 PT6 FAST	ERCO X 5000 PT6 Wi FAST	ERCO X 5000 CT	ERCO X 5000 CT PT2	ERCO X 5000 CT PT2 FAST	ERCO X 5000 CT PT6	ERCO X 5000 CT PT6 FAST	ERCO X 5000 CT PT6 Wi FAST
	Floor ramp kit L=1300 mm	8-42300048		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Flap wheel stop (2 pieces)	8-42300054		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O


COMPULSORY ACCESSORIES - X5000

Image	Description	Code																
			ERCO X 5000 LT	ERCO X 5000 LT PT2	ERCO X 5000 LT PT2 FAST	ERCO X 5000 LT PT6	ERCO X 5000 LT PT6 FAST	ERCO X 5000 LT PT6 WI FAST	ERCO X 5000 CT LT	ERCO X 5000 CT LT PT2	ERCO X 5000 CT LT PT2 FAST	ERCO X 5000 CT LT PT6	ERCO X 5000 CT LT PT6 FAST	ERCO X 5000 CT LT PT6 WI FAST	ERCO X 5000	ERCO X 5000 PT2	ERCO X 5000 PT2 FAST	ERCO X 5000 PT6
	Front wheel block kit	8-42300055																
			O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	On-floor installation kit (also valid for built-in in a unique pit)	8-42300056																
			O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	In-pit installation kit	8-42300057																
			O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

COMPULSORY ACCESSORIES - X5000

Image	Description	Code		ERCO X 5000 LT	ERCO X 5000 LT PT2	ERCO X 5000 LT PT2 FAST	ERCO X 5000 LT PT6	ERCO X 5000 LT PT6 FAST	ERCO X 5000 LT PT6 Wi FAST	ERCO X 5000 CT LT	ERCO X 5000 CT LT PT2	ERCO X 5000 CT LT PT2 FAST	ERCO X 5000 CT LT PT6	ERCO X 5000 CT LT PT6 FAST	ERCO X 5000 CT LT PT6 Wi FAST	ERCO X 5000	ERCO X 5000 PT2	ERCO X 5000 PT2 FAST	ERCO X 5000 PT6	ERCO X 5000 PT6 FAST	ERCO X 5000 PT6 Wi FAST	ERCO X 5000 CT	ERCO X 5000 CT PT2	ERCO X 5000 CT PT2 FAST	ERCO X 5000 CT PT6	ERCO X 5000 CT PT6 FAST	ERCO X 5000 CT PT6 Wi FAST
	Kit of spacers to reduce the size of the turntable housing to 460 mm, only for CT LT versions	8-42300058		-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-	-	-	-	-	-	-	-	-




OPTIONAL ACCESSORIES - X5000

OPTIONAL ACCESSORIES - X5000				ERCO X 5000 LT	ERCO X 5000 LT PT2	ERCO X 5000 LT PT2 FAST	ERCO X 5000 LT PT6	ERCO X 5000 LT PT6 FAST	ERCO X 5000 LT PT6 Wi FAST	ERCO X 5000 CT LT	ERCO X 5000 CT LT PT2	ERCO X 5000 CT LT PT2 FAST	ERCO X 5000 CT LT PT6	ERCO X 5000 CT LT PT6 FAST	ERCO X 5000 CT LT PT6 Wi FAST	ERCO X 5000	ERCO X 5000 PT2	ERCO X 5000 PT2 FAST	ERCO X 5000 PT6	ERCO X 5000 PT6 FAST	ERCO X 5000 PT6 Wi FAST	ERCO X 5000 CT	ERCO X 5000 CT PT2	ERCO X 5000 CT PT2 FAST	ERCO X 5000 CT PT6	ERCO X 5000 CT PT6 FAST	ERCO X 5000 CT PT6 Wi FAST
Image	Description	Code																									
	MKS Supprts for sensor heads, Exact 7000 wheel aligner for MKS Mercedes mode	8-42100158		-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-	-	-	O	O	O	O	O	O
	Extra floor ramp kit L closed =1120 mm L open =1920 mm L intermediate =1520 mm	8-42300030		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Lighting kit (4 leds)	8-42300060		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

OPTIONAL ACCESSORIES - X5000

OPTIONAL ACCESSORIES - X5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

OPTIONAL ACCESSORIES - X5000

Image	Description	Code																
			ERCO X 5000 LT	ERCO X 5000 LT PT2	ERCO X 5000 LT PT2 FAST	ERCO X 5000 LT PT6	ERCO X 5000 LT PT6 FAST	ERCO X 5000 LT PT6 Wi FAST	ERCO X 5000 CT LT	ERCO X 5000 CT LT PT2	ERCO X 5000 CT LT PT2 FAST	ERCO X 5000 CT LT PT6	ERCO X 5000 CT LT PT6 FAST	ERCO X 5000 CT LT PT6 Wi FAST	ERCO X 5000	ERCO X 5000 PT2	ERCO X 5000 PT2 FAST	ERCO X 5000 PT6
	Angle protections kit for pipes	8-42300082	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Frame set for in-pit installation (2pcs) Long.= 5910mm Larg.= 816mm H= 336mm	8-42300083	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	MCTC edges kit (required only for revision lift if installed on floor).	8-42300084	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Pair of beams for all-terrain vehicles	8-42300047	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-

OPTIONAL ACCESSORIES - X5000

Image	Description	Code		ERCO X 5000 LT	ERCO X 5000 LT PT2	ERCO X 5000 LT PT2 FAST	ERCO X 5000 LT PT6	ERCO X 5000 LT PT6 FAST	ERCO X 5000 LT PT6 WI FAST	ERCO X 5000 CT LT	ERCO X 5000 CT LT PT2	ERCO X 5000 CT LT PT2 FAST	ERCO X 5000 CT LT PT6	ERCO X 5000 CT LT PT6 FAST	ERCO X 5000 CT LT PT6 WI FAST	ERCO X 5000	ERCO X 5000 PT2	ERCO X 5000 PT2 FAST	ERCO X 5000 PT6	ERCO X 5000 PT6 FAST	ERCO X 5000 PT6 WI FAST	ERCO X 5000 CT	ERCO X 5000 CT PT2	ERCO X 5000 CT PT2 FAST	ERCO X 5000 CT PT6	ERCO X 5000 CT PT6 FAST	ERCO X 5000 CT PT6 WI FAST
	KTPI-22 Pneumo-hydraulic cross beam (2200 kg)	8-42100015		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Customization kit for KTPI-22	8-42100013		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Set of 4 pads H=80 mm	8-42300027		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Set of 4 pads H=40 mm	8-42300028		O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O

ERCO X4300 SERIES



4300

Code	Electrical Supply	Description	
0-42110500/15	400-230V / 3Ph / 50-60Hz	ERCO X4300 CT for complete alignment.	
0-42116900/15	400-230V / 3Ph / 50-60Hz	ERCO X4300 LT with lift table	
0-42110700/15	400-230V / 3Ph / 50-60Hz	ERCO X4300 CT LT for complete alignment and Lift Table.	
0-42110750/15	400-230V / 3Ph / 50-60Hz	ERCO X4300 CT LT for complete alignment and Lift Table, runways length= 4200.	
0-42110400/15	400-230V / 3Ph / 50-60Hz	ERCO X4300 flat runways.	
0-42111100/15	400-230V / 3Ph / 50-60Hz	ERCO X4300 PT6 flat runways, 6 mov.play detector.	
0-42111110/15	400-230V / 3Ph / 50-60Hz	ERCO X4300 PT6 FAST flat runways, 6 mov.play detector, FAST version.	
0-42112910/15	400-230V/3PH/50-60HZ	ERCO X4300 LT PT6 FAST flat runways, 6 mov.play detector, Lift Table, FAST version	
0-42112810/15	400-230V/3PH/50-60HZ	ERCO X4300 CT LT PT6 FAST for complete alignment, flat runways, 6 mov.play detector, Lift Table, FAST version	




INSTALLATION CONFIGURATION X4300

		Flush Installation		On-Floor Installation			
		A	B	C	D	E	F
		Flap and Front Stopper	Drive Through Ramps	Ramps on Floor	Hanging ramps	Drive Through Ramps on floor	Drive Through hanging ramps
Accessory description		Quantity	Quantity	Quantity	Quantity	Quantity	Quantity
8-42300048	Floor ramp kit L=1300 mm			1		2	
8-42300054	Flap wheel stop (2pcs)	1	2	1		2	
8-42300055	Front wheel block kit	1		1	1		
8-42300056	On-floor installation kit			1	1	1	1
8-42300057	In-pit installation kit	1	1				
8-42300063	Hang ramp kit L=1800 mm				1		2


COMPULSORY ACCESSORIES - X4300

COMPULSORY ACCESSORIES - X4300				ERCO X 4300	ERCO X 4300 PT6	ERCO X 4300 PT6 FAST	ERCO X 4300 CT	ERCO X 4300 CT LT
Image	Description	Code						
	Floor ramp kit L=1300 mm	8-42300048		O	O	O	O	O
	Flap wheel stop (2 pcs)	8-42300054		O	O	O	O	O
	Front wheel block kit	8-42300055		O	O	O	O	O

COMPULSORY ACCESSORIES - X4300

COMPULSORY ACCESSORIES - X4300				ERCO X 4300	ERCO X 4300 PT6	ERCO X 4300 PT6 FAST	ERCO X 4300 CT	ERCO X 4300 CT LT
Image	Description	Code						
	On-floor installation kit (also valid for built-in in a unique pit)	8-42300056		O	O	O	O	O
	In-pit installation kit	8-42300057		O	O	O	O	O
	Kit of spacers to reduce the size of the turntable housing to 460 mm, only for CT LT version	8-42120029		-	-	-	-	O


OPTIONAL ACCESSORIES - X4300

Image	Description	Code		ERCO X 4300	ERCO X 4300 PT6	ERCO X 4300 PT6 FAST	ERCO X 4300 CT	ERCO X 4300 CT LT
	MKS 3D alignment kit for ramps	8-42100157		-	-	-	O	O
	Extra floor ramp kit L closed = 1120 mm L open = 1920 mm L intermediate = 1520 mm	8-42300030		O	O	O	O	O
	Lighting kit (4 leds)	8-42300060		O	O	O	O	O
	Set of 4 pads , H=80 mm.	8-42300027		O	O	O	O	O
	Set of 4 pads , H=40 mm.	8-42300028		O	O	O	O	O


OPTIONAL ACCESSORIES - X4300

Image	Description	Code		ERCO X 4300	ERCO X 4300 PT6	ERCO X 4300 PT6 FAST	ERCO X 4300 CT	ERCO X 4300 CT LT
	Hang ramp kit L = 1800 mm	8-42300063		O	O	O	O	O
	Protection kit for pipes L= 1mt	8-42300081		O	O	O	O	O
	Angle protections kit for pipes	8-42300082		O	O	O	O	O
	Frame se for in-pit installation (2pcs) Long. = 5210 mm Larg. = 815 mm h. = 320 mm	8-42120016		O	O	O	O	O

OPTIONAL ACCESSORIES - X4300

OPTIONAL ACCESSORIES - X4300									
Image	Description	Code		ERCO X 4300	ERCO X 4300 PT6	ERCO X 4300 PT6 FAST	ERCO X 4300 CT	ERCO X 4300 CT LT	
	MCTC edges kit (required only for revision lift if installed on floor).	8-42120017		O	O	O	O	O	
	Pair of beams for all-terrain vehicles, L=1800 mm	8-42300047		-	-	-	-	O	
	Pipe extensions kit L= 4m	8-42300095		-	-	-	-	O	
	Pipe extensions kit L= 4m	8-42300097		-	O	O	-	-	
	Pipe extensions kit L= 4m	8-42300094		O	-	-	O	-	
	Pipe extensions kit L= 2m	8-42300100		-	-	-	-	O	
	Pipe extensions kit L= 2m	8-42300102		-	O	O	-	-	
	Pipe extensions kit L= 2m	8-42300099		O	-	-	O	-	


OPTIONAL ACCESSORIES - X4300

OPTIONAL ACCESSORIES - X4300				ERCO X 4300	ERCO X 4300 PT6	ERCO X 4300 PT6 FAST	ERCO X 4300 CT	ERCO X 4300 CT LT
Image	Description	Code						
	KTPI-22 Pneumo-hydraulic cross beam (2200 kg)	8-42100015		O	O	O	O	O
IMAGE NOT AVAILABLE	Customization kit for KTPI-22	8-42100013		O	O	O	O	O

ERCO IL635.2

- Electro-hydraulic twin-ram lift, superstructure with two flat lifting supports.
- Capacity: 3.500 kg
- For repairs and maintenance
- Waterproof steel cassette
- Hydraulic unit:
 - Hard-chrome plated cylinder
 - Flexible synchronization and safety system
 - Corrosion-free guiding elements
 - Hydraulic pump unit with immersed motor
 - Pneumatic emergency lowering
 - Programmable pushbutton control unit
- Superstructure:
 - Two lifting supports, lengthwise adjustable RAL 9006
 - Rubber-coated, non-skid pads

10 liter hydraulic oil, viscosity 22, must be provided by the customer



Each lift is composed by three parts , each of them is compulsory to create a complete machine : hydraulic unit, steel cassette, superstructure

Code	Electrical Supply	Description	
HYDRAULIC UNIT AND STEEL CASSETTE SUPPLIED SEPARATELY			
0-48100101/36	230-400V/3Ph+N+PE/50Hz/16A	Hydraulic unit for ERCO IL635.2 - stroke 1950 mm, compulsory	
8-48100001		Compulsory customization kit for the hydraulic pump unit	
8-48100014		Steel cassette (L=1350 mm - H= 2415 mm), compulsory	
HYDRAULIC UNIT PRE-ASSEMBLED IN STEEL CASSETTE			
0-48100151	230-400V/3Ph+N+PE/50Hz/16A	Hydraulic unit for ERCO IL635.2 - stoke 1950 mm, pre-assembled from factory in steel cassette	
8-48100001		Compulsory customization kit for the hydraulic pump unit	
SUPERSTRUCTURES			
8-48100035/36		Superstructure with flat lifting supports for ERCO IL635.2, lenght 140-200, min. wheel base 2200 mm, compulsory	
8-48100015/36		Superstructure with flat lifting supports for ERCO IL635.2, lenght 160-220, min. wheel base 2400 mm, compulsory	
8-48100031		Compulsory customization kit for the superstructure	

ERCO IL3502

- Electro-hydraulic twin-ram lift, superstructure with arms.
- Capacity: 3.500 kg
- For repairs and maintenance
- Waterproof steel cassette

Hydraulic unit:

- Hard-chrome plated cylinder
- Flexible synchronization and safety system
- Corrosion-free guiding elements
- Hydraulic pump unit with immersed motor
- Pneumatic emergency lowering
- Programmable pushbutton control unit

Superstructure:

- Double telescopic arms (3-stages) RAL 7016
- Internal arm locking system.

10 liter hydraulic oil, viscosity 22, must be provided by the customer



Each lift is composed by three parts , each of them is compulsory to create a complete machine : hydraulic unit, steel cassette, superstructure

Code	Electrical Supply	Description	
HYDRAULIC UNIT AND STEEL CASSETTE SUPPLIED SEPARATELY			
0-48100201/64	230-400V/3Ph+N+PE/50Hz/16A	Hydraulic unit for ERCO IL3502 - stroke 1950 mm, compulsory	
8-48100003		Compulsory customization kit for the hydraulic pump unit	
8-48100016		Steel cassette (L=2300 mm - H= 2415 mm), compulsory	
HYDRAULIC UNIT PRE-ASSEMBLED IN STEEL CASSETTE			
0-48100251	230-400V/3Ph+N+PE/50Hz/16A	Hydraulic unit for ERCO IL3502 - stoke 1950 mm, pre-assembled from factory in steel cassette	
8-48100003		Compulsory customization kit for the hydraulic pump unit	
SUPERSTRUCTURE			
8-48100017/00		Superstructure with swivel arms for ERCO IL3502, universal lifting area, min. height 95 mm	
8-48100032		Compulsory customization kit for the superstructure	

ERCO IL5502

- Electro-hydraulic twin-ram lift, superstructure with arms.
- Capacity: 5.500 kg
- For repairs and maintenance
- Waterproof steel cassette

Hydraulic unit:

- Hard-chrome plated cylinder
- Flexible synchronization and safety system
- Corrosion-free guiding elements
- Hydraulic pump unit with immersed motor
- Pneumatic emergency lowering
- Programmable pushbutton control unit

Superstructure:

- Double telescopic arms (3-stages) RAL 7016
- Internal arm locking system.

17 liter hydraulic oil, viscosity 22, must be provided by the customer



Each lift is composed by three parts , each of them is compulsory to create a complete machine : hydraulic unit, steel cassette, superstructure

Code	Electrical Supply	Description	
HYDRAULIC UNIT AND STEEL CASSETTE SUPPLIED SEPARATELY			
0-48100301/64	230-400V/3Ph+N+PE/50Hz/16A	Hydraulic unit for ERCO IL5502 - stroke 1860 mm, compulsory	
8-48100004		Compulsory customization kit for the hydraulic pump unit	
8-48100018		Steel cassette (L=2150 mm - H= 2455 mm), compulsory	
HYDRAULIC UNIT PRE-ASSEMBLED IN STEEL CASSETTE			
0-48100351	230-400V/3Ph+N+PE/50Hz/16A	Hydraulic unit for ERCO IL5502 - stoke 1860 mm, pre-assembled from factory in steel cassette	
8-48100004		Compulsory customization kit for the hydraulic pump unit	
SUPERSTRUCTURE			
8-48100055/64		Superstructure with swivel arms for ERCO IL5502, universal lifting area, Ø50 mm hole for lifting pads, with Ø50-40 mm reducers, min. height 135 mm, COMPULSORY	
8-48100033		Compulsory customization kit for the superstructure	

COMPULSORY ACCESSORIES

Image	Description	Code		ERCO IL635.2	ERCO IL3502	ERCO IL5502
	Set of cables 10 m	8-48100006		O	O	O

OPTIONAL ACCESSORIES

Image	Description	Code		ERCO IL635.2	ERCO IL3502	ERCO IL5502
	Traverse of installation of inground lift steel cassette 160x85x2000 (reusable, 2 pcs are needed for 1 cassette)	NX1208101		O	O	O
	Surcharge for set of sliding xy-heads (1 set = 4 pieces) to be ordered together with the superstructure, RECOMMENDED	8-48100007		O	-	-
	Rubber blocks 40mm, 120x120xØ100, 1 set = 4 pcs RECOMMENDED	8-48100008		O	-	-
	Rubber blocks 60 mm, 1 set = 4 pieces	8-48100010		O	-	-
	Lifting pad extension 65mm (1 Set = 4 pieces) RECOMMENDED	8-48100051		-	O	O
	Lifting pad extension 100 mm (1 Set = 4 pieces)	8-48100012		-	O	O

OPTIONAL ACCESSORIES


Image	Description	Code			
			ERCO IL635.2	ERCO IL3502	ERCO IL5502
IMAGE NOT AVAILABLE	Separating box for hydraulic unit, external dimension 1950x950x1500 mm, for installation in sandy / floating grounds	8-48100020	O	-	-
IMAGE NOT AVAILABLE	Separating box for hydraulic unit, external dimension 2900x950x1500 mm, for installation in sandy / floating grounds	8-48100027	-	O	O
	Lifting pad Ø120/70/95 height adjustable, 1 piece Adjustable height from floor to top edge of lifting pad: min 70mm / max 95 mm	8-48100021	-	O	-
	Lifting pad Ø120/95/135 height adjustable, 1 piece Adjustable height from floor to top edge of lifting pad: min 95 mm / max 135 mm	8-48100028	-	-	O
	Lifting pad Ø120/135/195 height adjustable, 1 piece Adjustable height from floor to top edge of lifting pad: min 135 mm / max 195 mm	8-48100023	-	O	O
	Manual unlocking system for 3.5 t Saa, 1 set = 4 pcs	8-48100022	-	O	-

OPTIONAL ACCESSORIES

Image	Description	Code		ERCO IL635.2	ERCO IL3502	ERCO IL5502
	Wheel support device "Standard" (400 mm) 1set=4 pieces, capacity for item max. 875 kg	8-48100024		-	O	O
	Wheel support device "Offroad" (500 mm) 1 set = 4 pcs, capacity per item max. 875 kg	8-48100025		-	O	O
	Rubber drive-on support (50x500x1000mm) 1 Kit = 2pcs	8-48100026		-	O	O
	Set of lifting pads Crafter/Sprinter 1 Set = 2 pieces, pin-shape	8-48100029		-	-	O
	Set of lifting pads "Crafter/Sprinter" 1 Set = 2 pieces, V-shape	8-48100030		-	-	O

ERCO 351 T - IN PIT VERSION

ERCO 401 T - IN PIT VERSION



Code	Electrical Supply	Description	
0-41104003/15	230V / 1Ph / 50-60Hz	ERCO 351T in-pit version extension runways.	
0-41104001/15	230-400V / 3Ph / 50-60Hz	ERCO 351T in-pit version extension runways.	
0-41104103/15	230V / 1Ph / 50-60Hz	ERCO 401T in-pit version extension runways.	
0-41104101/15	230-400V / 3Ph / 50-60Hz	ERCO 401T in-pit version extension runways.	

UNDERBODY DOUBLE SCISSOR LIFTS - HIGH PROFILE ECO-LINE

ERCO 351 E - IN PIT VERSION

ERCO 401 E - IN PIT VERSION

Modelli "Eco":
doppio sistema Master-Slave,
nessuna elettronica sul lato a
forbice, olio incluso



3500





4000



Code	Electrical Supply	Description	
0-41107400/15	230-400V/3PH/50-60Hz	ERCO 351E double master-slave system no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	
0-41107402/15	230V/1PH/50-60Hz	ERCO 351E double master-slave system no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	
0-41107410/15	230-400V/3PH/50-60Hz	ERCO 401E double master-slave system no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	
0-41107412/15	230V/1PH/50-60Hz	ERCO 401E double master-slave system no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	

ACCESSORIES OPTIONAL - ERCO 351T - 401T - 351E - 401E - IN PIT VERSION -

ACCESSORIES OPTIONAL - ERCO 351T - 401T - 351E - 401E - IN PIT VERSION -				ERCO 351T	ERCO 401T	ERCO 351 E	ERCO 401 E
Image	Description	Code					
	Set of masonry screws (8 pcs.)	8-41100203		O	O	O	O
	Frame set for ERCO 351T - 351 E in-pit installation, 2 pcs	8-41100172		O	-	O	-
	Frame set for ERCO 401T - 401 E in-pit installation, 2 pcs	8-41100171		-	O	-	O
	Extensions for pipes and cables, 1 mt	8-41100131		O	O	O	O
	Extensions for pipes and cables, 2 mt	8-41100132		O	O	O	O

ACCESSORIES OPTIONAL - ERGO 351T - 401T - 351E - 401E - IN PIT VERSION -

Image	Description	Code		ERGO 351T	ERGO 401T	ERGO 351E	ERGO 401E
	Set of 4 pads H=80 mm	8-42300027		O	O	O	O
	Set of 4 pads H=40 mm	8-42300028		O	O	O	O
	Pair of beams for all-terrain vehicles L=1800 mm	8-42300047		O	O	O	O

SERIES: ERCO 630 / 635 / 640



Code	Electrical Supply	Description	
LOADING CAPACITY 3000 KG.			
0-41000100487/1534	400-230V/3PH/50-60Hz	ERCO630F on-floor installation , with flaps and double master/slave (oil included)	
0-41000100465/1534	400-230V/3PH/50-60Hz	ERCO630FI in-pit installation with flaps and double master/slave (oil included)	
0-41000100476/1534	400-230V/3PH/50-60Hz	ERCO630FS on-floor installation with flaps and mechanical safety lock (oil included)	
0-41000100500/1534	400-230V/3PH/50-60Hz	ERCO630FSI in-pit installation with flaps and mechanical safety lock (oil included)	

Code	Electrical Supply	Description	
LOADING CAPACITY 3500 KG.			
0-41000100514/1534	400-230V/3PH/50-60Hz	ERCO635FS on-floor installation with flaps and mechanical safety lock (oil included)	
0-41000100619/1534	400-230V/3PH/50-60Hz	ERCO635FSI in-pit installation with flaps and mechanical safety lock (oil included)	
0-41000100252/1534	400-230V/3PH/50-60Hz	ERCO635S on-floor installation with extension runways and mechanical safety lock (oil included)	
0-41000100386/1534	400-230V/3PH/50-60Hz	ERCO635SI in-pit installation with extension runways and mechanical safety lock (oil included)	
0-41000100519/1534	400-230V/3PH/50-60Hz	ERCO635F on-floor installation with flaps and double master/slave (oil included)	
0-41000100580/1534	400-230V/3PH/50-60Hz	ERCO635FI in-pit installation with flaps and double master/slave (oil included)	
0-41000100256/1534	400-230V/3PH/50-60Hz	ERCO635 on-floor installation with extension runways and double master/slave (oil included)	
0-41000100254/1534	400-230V/3PH/50-60Hz	ERCO635I in-pit installation with extension runways and double master/slave (oil included)	
LOADING CAPACITY 4000 KG.			
0-41000100298/1534	400-230V/3PH/50-60Hz	ERCO640S on-floor installation with extension runways and mechanical safety lock (oil included)	
0-41000100698/1534	400-230V/3PH/50-60Hz	ERCO640SI in-pit installation with extension runways and mechanical safety lock (oil included)	

Should you need a different power supply, neutral version or a special colour combination, or should you not need the oil as standard, kindly refer to the following configurator system :

CONFIGURATOR SYSTEM for special configurations

0-410001	CONFIGURATOR UNIQUE CODE		
LOADING CAPACITY 3000 KG.	ERCO 630 FS	with flaps and mechanical safety lock, 230-400V/3PH/50-60Hz	
	ERCO 630 F	with flaps and double master/slave, 230-400V/3PH/50-60Hz	
LOADING CAPACITY 3500 KG.	ERCO 635 FS	with flaps and mechanical safety lock, 230-400V/3PH/50-60Hz	
	ERCO 635 S	with extension runways and mechanical safety lock, 230-400V/3PH/50-60Hz	
	ERCO 635 F	with flaps and double master/slave, 230-400V/3PH/50-60Hz	
	ERCO 635	with extension runways and double master/slave, 230-400V/3PH/50-60Hz	
LOADING CAPACITY 4000 KG.	ERCO 640 S	with extension runways and mechanical safety lock, 230-400V/3PH/50-60Hz	

INSTALLATION MODE	
Description	
ON-FLOOR Installation	
IN-PIT Installation	
Neutral Version	

ALTERNATIVE CONFIGURATIONS	
Description	
Voltage: 230V/1Ph/50-60Hz	
Hydraulic Oil	
Special Color #1: new color instead of usual red color RAL 3002 (grey color RAL 7016 remain unchanged)	
Special Color #2: new colors instead of usual combination red color RAL 3002 + grey color RAL 7016	
Antioxidant treatment with Cataphoresis	

As a completion of the installation with Neutral Version, one the four accessories highlighted in green color has to be purchased (see “Accessories for completion of Neutral Installation”)

ACCESSORIES FOR COMPLETION OF NEUTRAL INSTALLATION				Erco 630 FS	Erco 630 FSI	Erco 630 F	Erco 630 FI	Erco 635 FS	Erco 635 FSI	Erco 635 S	Erco 635 SI	Erco 635 F	Erco 635 FI	Erco 635	Erco 635 I	Erco 640 S	Erco 640 SI
Image	Description	Code															
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with extensions	8-41120001		-	-	-	-	-	-	O	-	-	-	O	-	O	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with extensions	8-41120002		-	-	-	-	-	-	O	-	-	-	-	O	-	O
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with flaps	8-41120003		O	-	O	-	O	-	-	-	O	-	-	-	-	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with flaps	8-41120004		-	O	-	O	-	O	-	-	-	O	-	-	-	-

ACCESSORIES FOR COMPLETION OF NEUTRAL INSTALLATION

Image	Description	Code														
			Erco 630 FS	Erco 630 FSI	Erco 630 F	Erco 630 FI	Erco 635 FS	Erco 635 FSI	Erco 635 S	Erco 635 SI	Erco 635 F	Erco 635 FI	Erco 635	Erco 635 I	Erco 640 S	Erco 640 SI
	Set of long ramps H=50 for on-floor version, for ERCO 635 S, ERCO 635, ERCO 640 S	8-41100206	-	-	-	-	-	-	O	-	-	-	O	-	O	-
	Set of long ramps H=50 for on-floor version, for ERCO 630 FS, ERCO 630 F, ERCO 635 FS	8-41100207	O	-	O	-	O	-	-	-	O	-	-	-	-	-
	Extensions for pipes 1mt. (cables and protection cover included)	8-41100145	-	-	O	O	-	-	-	-	O	O	O	O	-	-
	Extensions for pipes 2mt. (cables and protection cover included)	8-41100146	-	-	O	O	-	-	-	-	O	O	O	O	-	-
	Extensions for pipes 1mt. (cables and protection cover included)	8-41100149	O	O	-	-	O	O	O	O	-	-	-	-	O	O
	Extensions for pipes 2mt. (cables and protection cover included)	8-41100150	O	O	-	-	O	O	O	O	-	-	-	-	O	O

ACCESSORIES FOR COMPLETION OF NEUTRAL INSTALLATION

ACCESSORIES FOR COMPLETION OF NEUTRAL INSTALLATION				Erco 630 FS	Erco 630 FSI	Erco 630 F	Erco 630 FI	Erco 635 FS	Erco 635 FSI	Erco 635 S	Erco 635 SI	Erco 635 F	Erco 635 FI	Erco 635	Erco 635 I	Erco 640 S	Erco 640 SI
Image	Description	Code															
	Off-the-road vehicle cross bar (2 pcs)	8-42300047		O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 80 mm.	8-42300027		O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 40 mm.	8-42300028		O	O	O	O	O	O	O	O	O	O	O	O	O	O
	Angle pipe protection cover	8-41100143		O	-	O	-	O	-	O	-	O	-	O	-	O	-
	Frame set for ERCO 630 FI, 630 FSI, 635 FI, 635 FSI to be ordered together with P/N 8-41100165	8-41100167		-	O	-	O	-	O	-	-	-	O	-	-	-	-
	Frame set for ERCO 635 I, 635 SI, 640 SI	8-41100166		-	-	-	-	-	-	-	O	-	-	-	O	-	O
	In-pit installation kit for lifts with flaps, incl. support for flaps that must be bolted to the ground - mandatory for recessed installation	8-41100165		-	O	-	O	-	O	-	-	-	O	-	-	-	-

ACCESSORIES FOR COMPLETION OF NEUTRAL INSTALLATION

Image	Description	Code		Erco 630 FS	Erco 630 FSI	Erco 630 F	Erco 630 FI	Erco 635 FS	Erco 635 FSI	Erco 635 S	Erco 635 SI	Erco 635 F	Erco 635 FI	Erco 635	Erco 635 I	Erco 640 S	Erco 640 SI
CIVIL WORKS - RESEARCH CODES FOR THE WEBSITE PRIVATE AREA - ONLY FOR IN-PIT VERSIONS																	
	0-410001ERCO630FSI																
	0-410001ERCO630FI																
	0-410001ERCO635FSI																
	0-410001ERCO635SI																
	0-410001ERCO635FI																
	0-410001ERCO635I																
	0-410001ERCO640SI																

SERIES: ERCO 630 E / 635 E

"Eco models:
double Master-Slave system,
no electronics on scissor side,
oil included"





Code	Electrical Supply	Description	
LOADING CAPACITY 3000 KG.			
0-41106910/15	230-400V/3PH/50-60Hz	ERCO 630E double master-slave system, no electronics on scissors side, on-floor installation, 600 mm extensions, min height 105 mm (oil included)	
0-41106912/15	230V/1PH/50Hz	ERCO 630E double master-slave system, no electronics on scissors side, on-floor installation, 600 mm extensions, min height 105 mm (oil included)	
0-41106960/15	230-400V/3PH/50-60Hz	ERCO 630E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	
0-41106962/15	230V/1PH/50Hz	ERCO 630E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	

Code	Electrical Supply	Description	
LOADING CAPACITY 3000 KG.			
0-41106900/15	230-400V/3PH/50-60Hz	ERCO 630E F double master-slave system, no electronics on scissors side, on-floor installation, 285 mm short ramps, min height 105 mm (oil included)	
0-41106902/15	230V/1PH/50Hz	ERCO 630E F double master-slave system, no electronics on scissors side, on-floor installation, 285 mm short ramps, min height 105 mm (oil included)	
0-41106950/15	230-400V/3PH/50-60Hz	ERCO 630E F I double master-slave system, no electronics on scissors side, in-pit installation, 285 mm short ramps (oil included)	
0-41106952/15	230V/1PH/50Hz	ERCO 630E F I double master-slave system, no electronics on scissors side, in-pit installation, 285 mm short ramps (oil included)	
LOADING CAPACITY 3500 KG.			
0-41105910/15	230-400V/3PH/50-60Hz	ERCO 635E double master-slave system, no electronics on scissors side, on-floor installation, 600 mm extensions, min height 115 mm (oil included)	
0-41105912/15	230V/1PH/50Hz	ERCO 635E double master-slave system, no electronics on scissors side, on-floor installation, 600 mm extensions, min height 115 mm (oil included)	
0-41105960/15	230-400V/3PH/50-60Hz	ERCO 635E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	
0-41105962/15	230V/1PH/50Hz	ERCO 635E I double master-slave system, no electronics on scissors side, in-pit installation, 600 mm extensions (oil included)	
0-41105900/15	230-400V/3PH/50-60Hz	ERCO 635E F double master-slave system, no electronics on scissors side, on-floor installation, 285 mm short ramps, min height 115 mm (oil included)	
0-41105902/15	230V/1PH/50Hz	ERCO 635E F double master-slave system, no electronics on scissors side, on-floor installation, 285 mm short ramps, min height 115 mm (oil included)	
0-41105950/15	230-400V/3PH/50-60Hz	ERCO 635E F I double master-slave system, no electronics on scissors side, in-pit installation, 285 mm short ramps, min height 115 mm (oil included)	
0-41105952/15	230V/1PH/50Hz	ERCO 635E F I double master-slave system, no electronics on scissors side, in-pit installation, 285 mm short ramps, min height 115 mm (oil included)	


OPTIONAL ACCESSORIES

Image	Description	Code		Erco 630E	Erco 630E I	Erco 630E F	Erco 630E FI	Erco 635E	Erco 635E I	Erco 635E F	Erco 635E FI
	Set of masonry screws (8 pcs.)	8-41100203		O	O	O	O	O	O	O	O
	Set of long ramps H=50 for on-floor version	8-41100206		O	-	-	-	O	-	-	-
	Set of long ramps H=50 for on-floor version,	8-41100207		-	-	O	-	-	-	O	-
	Extensions for pipes 1 mt. (cables and protection cover included)	8-41100145		O	O	O	O	O	O	O	O
	Extensions for pipes 2 mt. (cables and protection cover included)	8-41100146		O	O	O	O	O	O	O	O

OPTIONAL ACCESSORIES


Image	Description	Code		Erco 630E	Erco 630E I	Erco 630E F	Erco 630E FI	Erco 635E	Erco 635E I	Erco 635E F	Erco 635E FI
	Angle pipe protection cover	8-41100143		O	-	O	-	O	-	O	-
	Off-the-road vehicle cross bar (2 pcs)	8-42300047		O	O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 80 mm	8-42300027		O	O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 40 mm	8-42300028		O	O	O	O	O	O	O	O
	Frame set to be ordered together with P/N 8-41100165	8-41100167		-	-	-	O	-	-	-	O
	Frame set	8-41100166		-	O	-	-	-	O	-	-
	In-pit installation kit for lifts with flaps, incl. support for flaps that must be bolted to the ground - mandatory for recessed installation	8-41100165		-	-	-	O	-	-	-	O

ERCO 3002 CBP



Code	Electrical Supply	Description	
0-43102101/15	400V / 3Ph / 50-60Hz	ERCO 3002 CBP chain drive system, asymmetric arms, NON load-bearing base	
0-43102111/15	230 / 3Ph / 50-60Hz	ERCO 3002 CBP chain drive system, asymmetric arms, NON load-bearing base	
8-43100100		Customization kit	

ERCO 3512



Code	Electrical Supply	Description	
0-43105601/15	230V / 3Ph / 50-60Hz	ERCO 3512 with base, chain drive system, asymmetric arms	
0-43105600/15	400V / 3Ph / 50-60Hz	ERCO 3512 with base, chain drive system, asymmetric arms	



COMPULSORY ACCESSORIES - ERCO 3002 CBP - ERCO 3512

Image	Description	Code		ERCO 3002 CBP	ERCO 3512
	Anchor set (4+4 pezzi)	8-43100151		O	-
	Anchor set (6+6 pezzi)	8-43100194		-	O

OPTIONAL ACCESSORIES - ERCO 3002 CBP - ERCO 3512


Image	Description	Code		ERCO 3002 CBP	ERCO 3512
	Pad extension set (4 pcs.) h=150mm	8-43100153		O	-
	Pad extension set (4 pcs.) h=200mm	8-43100154		-	O

ERCO 3212 N




Code	Electrical Supply	Description	
0-43105301/15	230V / 3Ph / 50Hz	ERCO 3212N chain drive system and asymmetric arms	
0-43105300/15	400V / 3Ph / 50Hz	ERCO 3212N chain drive system and asymmetric arms	
0-43105311/15	230V / 3Ph / 50Hz	ERCO 3212N CBP with base, chain drive system and asymmetric arms	
0-43105310/15	400V / 3Ph / 50Hz	ERCO 3212N CBP with base, chain drive system and asymmetric arms	

ERCO 3222 N CEL




Code	Electrical Supply	Description	
0-43105401/15	230V / 3Ph / 50Hz	ERCO 3222N CEL asymmetric arms, 2 motors and electronic synchronization system	
0-43105400/15	400V / 3Ph / 50Hz	ERCO 3222N CEL asymmetric arms, 2 motors and electronic synchronization system	

ERCO 4022 N CEL




Code	Electrical Supply	Description	
0-43105501/15	230V / 3Ph / 50Hz	ERCO 4022N CEL 2 motors, asymmetric arms, electronic synchronization system.	
0-43105500/15	400V / 3Ph / 50Hz	ERCO 4022N CEL 2 motors, asymmetric arms, electronic synchronization system.	

ERCO 4022 ELX



Code	Electrical Supply	Description	
0-43101401/15	400V / 3Ph / 50Hz	ERCO 4022N ELX symmetric arms, 2 motors and electronic synchronization system, anchor bolts included.	

ERCO 5022 CEL




Code	Electrical Supply	Description	
0-43101101/15	400V / 3Ph / 50Hz	ERCO 5022 CEL symmetric arms, 2 motors and electronic synchronization system, anchor bolts included.	


COMPULSORY ACCESSORIES - ERCO 3212N-3222N-4022N-4022 ELX-5022 CEL

Image	Description	Code		ERCO 3212N	ERCO 3212N CBP	ERCO 3222N CEL	ERCO 4022N CEL	ERCO 4022 ELX	ERCO 5022 CEL
	Ground fixing kit	8-43300182		O	-	-	-	-	-
	Ground fixing kit	8-43300186		-	-	O	-	-	-
	Ground fixing kit	8-43300183		-	O	-	-	-	-
	Ground fixing kit	8-43300184		-	-	-	O	-	-
IMAGE NOT AVAILABLE	3,2 tons short arms kit for FERRARI.	8-43320000		-	-	O	-	-	-


OPTIONAL ACCESSORIES - ERCO 3212N-3222N-4022N-4022 ELX-5022 CEL

OPTIONAL ACCESSORIES - ERCO 3212N-3222N-4022N-4022 ELX-5022 CEL				ERCO 3212N	ERCO 3212N CBP	ERCO 3222N CEL	ERCO 4022N CEL	ERCO 4022 ELX	ERCO 5022 CEL
Image	Description	Code							
	Complete pad kit for FCA electric cars (1 pc) Ø 60mm, designed for FIAT 500 electric version	8-43100229		O	O	O	O	O	O
	Base kit (To be ordered only in case the floor has not the minimum necessary features and it is not possible to make building works)	8-43300185		O	-	O	-	-	-
	Set of 4 extension for pads, H=35 mm	8-43300021		O	O	O	O	O	O
	Set of 4 extension for pads, H=80 mm	8-43300014		O	O	O	O	O	O
	Set of 4 extension for pads, H=140 mm	8-43300015		O	O	O	O	O	O

OPTIONAL ACCESSORIES - ERCO 3212N-3222N-4022N-4022 ELX-5022 CEL

Image	Description	Code		ERCO 3212N	ERCO 3212N CBP	ERCO 3222N CEL	ERCO 4022N CEL	ERCO 4022 ELX	ERCO 5022 CEL
	Set of 4 adapters for Mercedes Sprinter.	8-43300016		O	O	O	O	O	O
	Set of 4 special supports for 4WD vehicles.	8-43300017		O	O	O	O	O	O
	Additional photocell kit	8-43300003		-	-	O	O	O	O
	Roof cable guide for ERCO 3222N CEL H=3840 mm.	8-43300037		-	-	O	-	-	-
	Roof cable guide for ERCO 4022N CEL H=4540 mm.	8-43300036		-	-	-	O	-	-
	Roof cable guide for ERCO 5022 CEL and 4022 ELX H=4540 mm.	8-43300028		-	-	-	-	O	O

SERIE ERCO H3202



Code	Electrical Supply	Description	
0-43102201/15	400V / 3Ph / 50-60Hz	ERCO H3202 L floor level pipes, arms with three symmetrical telescopic extensions.	
0-43102211/15	230V / 3Ph / 50-60Hz	ERCO H3202 L floor level pipes, arms with three symmetrical telescopic extensions.	
0-43102221/15	230V / 1Ph / 50Hz	ERCO H3202 L floor level pipes, arms with three symmetrical telescopic extensions.	
8-43100101		Customization kit	
0-43102202/15	400V / 3Ph / 50-60Hz	ERCO H3202 LI sunken pipes, arms with three symmetrical telescopic extensions.	
0-43102212/15	230V / 3Ph / 50-60Hz	ERCO H3202 LI sunken pipes, arms with three symmetrical telescopic extensions.	
0-43102222/15	230V / 1Ph / 50Hz	ERCO H3202 LI sunken pipes, arms with three symmetrical telescopic extensions.	
8-43100102		Customization kit	
0-43102203/15	400V / 3Ph / 50-60Hz	ERCO H3202 V overhead pipes, arms with three symmetrical telescopic extensions.	
0-43102213/15	230V / 3Ph / 50-60Hz	ERCO H3202 V overhead pipes, arms with three symmetrical telescopic extensions.	
0-43102223/15	230V / 1Ph / 50Hz	ERCO H3202 V overhead pipes, arms with three symmetrical telescopic extensions.	
0-43102233/15	230V / 1Ph / 60Hz	ERCO H3202 V overhead pipes, arms with three symmetrical telescopic extensions.	
8-43100103		Customization kit	
0-43102204/15	400V / 3Ph / 50-60Hz	ERCO H3202 CBP with NON load-bearing base, arms with three symmetrical telescopic extensions.	
0-43102214/15	230V / 3Ph / 50-60Hz	ERCO H3202 CBP with NON load-bearing base, arms with three symmetrical telescopic extensions.	
0-43102224/15	230V / 1Ph / 50Hz	ERCO H3202 CBP with NON load-bearing base, arms with three symmetrical telescopic extensions.	
8-43100104		Customization kit	


COMPULSORY ACCESSORIES - ERGO H3202 SERIES

Image	Description	Code		ERGO H3202 L	ERGO H3202 LI	ERGO H3202 V	ERGO H3202 CBP
	Anchor set	8-43100156		O	O	O	-
	Anchor set	8-43100157		-	-	-	O

OPTIONAL ACCESSORIES - ERGO H3202 SERIES


	Pad extension set (4 pcs.) H = mm 150	8-43100153		O	O	O	O
	Pad extension set (4 pcs.) H = mm 200	8-43100154		O	O	O	O
	Manual emergency descent pump	8-41100103		O	O	O	O

ERCO H4002 E SERIES




Code	Electrical Supply	Description	
0-43104821/15	230V / 1Ph / 50Hz	ERCO H4002E , arms with two symmetrical telescopic extensions, portal H=3870.	
0-43104811/15	230V / 3Ph / 50-60Hz	ERCO H4002E , arms with two symmetrical telescopic extensions, portal H=3870.	
0-43104801/15	400V / 3Ph / 50-60Hz	ERCO H4002E , arms with two symmetrical telescopic extensions, portal H=3870.	
0-43104921/15	230V / 1Ph / 50Hz	ERCO H4002E-V , arms with two symmetrical telescopic extensions, portal H=4470.	
0-43104911/15	230V / 3Ph / 50-60Hz	ERCO H4002E-V , arms with two symmetrical telescopic extensions, portal H=4470.	
0-43104901/15	400V / 3Ph / 50-60Hz	ERCO H4002E-V , arms with two symmetrical telescopic extensions, portal H=4470.	
0-43105021/15	230V / 1Ph / 50Hz	ERCO H4002E-XV , arms with two symmetrical telescopic extensions, portal H=5070.	
0-43105011/15	230V / 3Ph / 50-60Hz	ERCO H4002E-XV , arms with two symmetrical telescopic extensions, portal H=5070.	
0-43105001/15	400V / 3Ph / 50-60Hz	ERCO H4002E-XV , arms with two symmetrical telescopic extensions, portal H=5070.	

ERCO H4002 N SERIES



Code	Electrical Supply	Description	
0-43104521/15	230V / 1Ph / 50Hz	ERCO H4002N , arms with three symmetrical telescopic, portal H=3870.	
0-43104511/15	230V / 3Ph / 50-60Hz	ERCO H4002N , arms with three symmetrical telescopic, portal H=3870.	
0-43104501/15	400V / 3Ph / 50-60Hz	ERCO H4002N , arms with three symmetrical telescopic, portal H=3870.	
0-43104621/15	230V / 1Ph / 50Hz	ERCO H4002N-V , arms with three symmetrical telescopic, portal H=4470.	
0-43104611/15	230V / 3Ph / 50-60Hz	ERCO H4002N-V , arms with three symmetrical telescopic, portal H=4470.	
0-43104601/15	400V / 3Ph / 50-60Hz	ERCO H4002N-V , arms with three symmetrical telescopic, portal H=4470.	
0-43104721/15	230V / 1Ph / 50Hz	ERCO H4002N-XV , arms with three symmetrical telescopic, portal H=5070.	
0-43104711/15	230V / 3Ph / 50-60Hz	ERCO H4002N-XV , arms with three symmetrical telescopic, portal H=5070.	
0-43104701/15	400V / 3Ph / 50-60Hz	ERCO H4002N-XV , arms with three symmetrical telescopic, portal H=5070.	

ERCO H5002 SERIES



Code	Electrical Supply	Description	
0-43102401/15	400V / 3Ph / 50-60Hz	ERCO H5002 , arms with three symmetrical telescopic extensions, portal H=3870.	
0-43102411/15	230V / 3Ph / 50-60Hz	ERCO H5002 , arms with three symmetrical telescopic extensions, portal H=3870.	
0-43102421/15	230V / 1Ph / 50Hz	ERCO H5002 , arms with three symmetrical telescopic extensions, portal H=3870.	
8-43100108		Customization kit	
0-43102402/15	400V / 3Ph / 50-60Hz	ERCO H5002 V , arms with three symmetrical telescopic extension, portal H=4470.	
0-43102412/15	230V / 3Ph / 50-60Hz	ERCO H5002 V , arms with three symmetrical telescopic extension, portal H=4470.	
0-43102422/15	230V / 1Ph / 50Hz	ERCO H5002 V , arms with three symmetrical telescopic extension, portal H=4470.	
8-43100109		Customization kit	
0-43102403/15	400V / 3Ph / 50-60Hz	ERCO H5002 XV , arms with three symmetrical telescopic extension, portal H=5070.	
0-43102413/15	230V / 3Ph / 50-60Hz	ERCO H5002 XV , arms with three symmetrical telescopic extension, portal H=5070.	
0-43102423/15	230V / 1Ph / 50Hz	ERCO H5002 XV , arms with three symmetrical telescopic extension, portal H=5070.	
8-43100110		Customization kit	


COMPULSORY ACCESSORIES - SERIES: ERCO H4002E - H4002N - H5002

Image	Description	Code										
	Anchor set	8-43100158										
	Anchor set	8-43100161										

OPTIONAL ACCESSORIES - SERIES: ERCO H4002E - H4002N - H5002

Image	Description	Code	ERCO H4002E	ERCO H4002E-V	ERCO H4002E-XV	ERCO H4002N	ERCO H4002N-V	ERCO H4002N-XV	ERCO H5002	ERCO H5002 V	ERCO H5002 XV
	Complete pad kit for FCA electric cars (1 pc) Ø 60mm, designed for FIAT 500 electric version	8-43100229	O	O	O	O	O	O	O	O	O
IMAGE NOT AVAILABLE	Extensions for pads (4pcs) H=150 mm	8-43100159	O	O	O	O	O	O	-	-	-
IMAGE NOT AVAILABLE	Extensions for pads (4pcs) H=200 mm	8-43100160	O	O	O	O	O	O	-	-	-
	Manual emergency descent pump	8-41100103	O	O	O	O	O	O	O	O	O
	Set of extended height range pads (4pcs) H=80/170 mm	8-43100192	-	-	-	O	O	O	-	-	-
IMAGE NOT AVAILABLE	Bar kit stopping ascent.	8-43100193	O	O	O	-	-	-	-	-	-
	Column extension set , H=600.	8-43700001/15	-	-	-	O	-	-	-	-	-
	Column extension set , H=1200.	8-43700002/15	-	-	-	O	O	-	-	-	-
	Column extension set , H=600.	8-43700003/15	O	-	-	-	-	-	-	-	-
	Column extension set , H=1200.	8-43700004/15	O	O	-	-	-	-	-	-	-
	Column extension set , H=600, to transform the hydraulic 2-post lift from H=4470 to H=5070 and from H=5070 to H=4470	8-43100197/15	-	-	-	-	-	-	-	O	O
	Column extension set , H=1200, to transform the hydraulic 2-post lift from H=3870 and H=4470 to H=5070	8-43100200/15	-	-	-	-	-	-	O	O	-

ERCO H5502 XV



Code	Electrical Supply	Description	
0-43104101/15	230-400/ 3Ph / 50-60Hz	ERCO H5502 XV Hydraulic 2 post lifts with 4-section support arms, loading capacity 5500 kg	


COMPULSORY ACCESSORIES - H5502 XV

Image	Description	Code	
	Anchor set	8-43100161	

OPTIONAL ACCESSORIES - H5502 XV

Image	Description	Code	
	Complete pad kit for FCA electric cars (1 pc) Ø 60mm, designed for FIAT 500 electric version	8-43100229	
	CRAFTER kit (recommended)	8-43100183	
	Manual emergency descent pump (recommended)	8-41100103	

ERCO 4004 SERIES



Code	Electrical Supply	Description	
0-43102501/15	400V / 3Ph / 50-60Hz	ERCO 4004B , low profile, flat runways.	
0-43102511/15	230V / 3Ph / 50-60Hz	ERCO 4004B , low profile, flat runways.	
0-43102521/15	230V / 1Ph / 50Hz	ERCO 4004B , low profile, flat runways.	
8-43100111		Customization kit	
0-43102502/15	400V / 3Ph / 50-60Hz	ERCO 4004B CT , low profile, recessed runways for wheel alignment.	
0-43102512/15	230V / 3Ph / 50-60Hz	ERCO 4004B CT , low profile, recessed runways for wheel alignment.	
0-43102522/15	230V / 1Ph / 50Hz	ERCO 4004B CT , low profile, recessed runways for wheel alignment.	
8-43100112		Customization kit	
0-43103701/15	400V / 3Ph / 50-60Hz	ERCO 4004 W CT , wheel alignment runways.	
0-43103705/15	400V / 3Ph / 50-60Hz	ERCO 4004 W CT , wheel alignment runways, in-PIT VERSION.	
0-43103711/15	230V / 3Ph / 50-60Hz	ERCO 4004 W CT , wheel alignment runways.	
0-43103721/15	230V / 1Ph / 50Hz	ERCO 4004 W CT , wheel alignment runways.	
8-43100178		Customization kit	

ERCO 5004 SERIES




5000

Code	Electrical Supply	Description	
0-43103801/15	400V / 3Ph / 50-60Hz	ERCO 5004 W , recessed runways for wheel alignment.	
0-43103811/15	230V / 3Ph / 50-60Hz	ERCO 5004 W , recessed runways for wheel alignment.	
0-43103821/15	230V / 1Ph / 50Hz	ERCO 5004 W , recessed runways for wheel alignment.	
8-43100180		Customization kit	
0-43103802/15	400V / 3Ph / 50-60Hz	ERCO 5004 W CT , wheel alignment runways.	
0-43103812/15	230V / 3Ph / 50-60Hz	ERCO 5004 W CT , wheel alignment runways.	
0-43103822/15	230V / 1Ph / 50Hz	ERCO 5004 W CT , wheel alignment runways.	
8-43100179		Customization kit	
0-43103901/15	400V / 3Ph / 50-60Hz	ERCO 5004 CT LT , wheel alignment runways, Lift Table	
0-43103911/15	230V / 3Ph / 50-60Hz	ERCO 5004 CT LT , wheel alignment runways, Lift Table	
0-43103921/15	230V / 1Ph / 50Hz	ERCO 5004 CT LT , wheel alignment runways, Lift Table	


COMPULSORY ACCESSORIES - SERIES: ERCO 4004 - 5004

Image	Description	Code		ERCO 4004B	ERCO 4004B CT	ERCO 4004 W CT	ERCO 5004 W	ERCO 5004 W CT	ERCO 5004 CT LT
	Anchor set	8-43100162		O	O	O	O	O	O

OPTIONAL ACCESSORIES - SERIES: ERCO 4004 - 5004

Image	Description	Code		ERCO 4004B	ERCO 4004B CT	ERCO 4004 W CT	ERCO 5004 W	ERCO 5004 W CT	ERCO 5004 CT LT
	Manual emergency descent pump	8-41100103		O	O	O	O	O	O
	Turntables set	8-43100163		-	-	O	O	O	-
	Turntables set H=31 mm	8-43100166		-	O	-	-	-	-

OPTIONAL ACCESSORIES - SERIES: ERCO 4004 - 5004

Image	Description	Code		ERCO 4004B	ERCO 4004B CT	ERCO 4004 W CT	ERCO 5004 W	ERCO 5004 W CT	ERCO 5004 CT LT
	Pair of car mechanical turntables with ROC Push-mode kit (400x450x50H mm).	8-33100102		-	-	-	-	-	O
IMAGE NOT AVAILABLE	Ramps kit (2 pcs) for « drive-through » installation, length = 900mm	8-43100249		-	-	O	O	O	-
	TPI02 - MT - pneumo-hydraulic scissor lift cross-bar	8-42100120		O	O	O	O	O	O
	Customization kit for TPI02-MT	8-43100164		O	O	O	O	O	O
NEW! IMAGE NOT AVAILABLE	Short flaps for drive-over, for recessed 4-post lift, 1 set = 2 pcs	8-43100219		-	-	O	O	O	-

SERIES: ERCO 500 / 505



3000



3500



Code	Electrical Supply	Description	
LOADING CAPACITY 3000 KG.			
0-41000200017/1534	400/230V-3Ph-50/60hz	ERCO 500 on-floor installation , with extension runways and double master/slave circuit (oil included)	
0-41000200021/1534	400/230V-3Ph-50/60hz	ERCO 500I in-pit installation , with extension runways and double master/slave circuit (oil included)	
0-41000200019/1534	400/230V-3Ph-50/60hz	ERCO 500F on-floor installation , with runways with flaps and double master slave circuit (oil included)	
0-41000200023/1534	400/230V-3Ph-50/60hz	ERCO 500FI in-pit installation , with runways with flaps and double master slave circuit (oil included)	
LOADING CAPACITY 3500 KG.			
0-41000200025/1534	400/230V-3Ph-50/60hz	ERCO 505 on-floor installation , with extension runways and double master/slave circuit (oil included)	
0-41000200027/1534	400/230V-3Ph-50/60hz	ERCO 505I in-pit installation , with extension runways and double master/slave circuit (oil included)	
0-41000200029/1534	400/230V-3Ph-50/60hz	ERCO 505F on-floor installation , with runways with flaps and double master slave circuit (oil included)	
0-41000200031/1534	400/230V-3Ph-50/60hz	ERCO 505FI in-pit installation , with runways with flaps and double master slave circuit (oil included)	

Should you need a different power supply, neutral version or a special colour combination, or should you not need the oil as standard, kindly refer to the following configurator system : CONFIGURATOR SYSTEM for special configurations

0-410002	CONFIGURATOR UNIQUE CODE		
LOADING CAPACITY 3000 KG.	ERCO500	with extension runways and double master/slave circuit, 230-400V/3PH/50-60Hz	
	ERCO500F	with runways with flaps and double master slave circuit , 230-400V/3PH/50-60Hz	
LOADING CAPACITY 3500 KG.	ERCO505	with extension runways and double master/slave circuit, 230-400V/3PH/50-60Hz	
	ERCO505F	with runways with flaps and double master slave circuit , 230-400V/3PH/50-60Hz	

INSTALLATION MODE

ON-FLOOR Installation	
IN-PIT Installation	
Neutral Version	




ALTERNATIVE CONFIGURATIONS

Voltage: 230V/1Ph/50-60Hz	
Hydraulic Oil	
Special Color #1: new color instead of usual red color RAL 3002 (grey color RAL 7016 remain unchanged)	
Special Color #2: new colors instead of usual combination red color RAL 3002 + grey color RAL 7016	
Antioxidant treatment with Cataphoresis	

As a completion of the installation with Neutral Version, one the four accessories highlighted in green color has to be purchased (see "Accessories for completion of Neutral Installation")

OPTIONAL ACCESSORIES ACCESSORIES FOR COMPLETION OF NEUTRAL INSTALLATION				Erco 500	Erco 500 F	Erco 500 FI	Erco 500 I	Erco 505	Erco 505 F	Erco 505 FI	Erco 505 I
Image	Description	Code									
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with extensions	8-41100157		O	-	-	-	O	-	-	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with extensions	8-41100155		-	-	-	O	-	-	-	O
IMAGE NOT AVAILABLE	On-floor installation kit (neutral version) when ordering a lift with flaps	8-41100158		-	O	-	-	-	O	-	-
IMAGE NOT AVAILABLE	In-pit installation kit (neutral version) when ordering a lift with flaps	8-41100156		-	-	O	-	-	-	O	-

OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				Erco 500	Erco 500 F	Erco 500 FI	Erco 500 I	Erco 505	Erco 505 F	Erco 505 FI	Erco 505 I
Image	Description	Code									
	Set of long ramps H=50 for on-floor version, for ERCO500 and ERCO505	8-41100208		O	-	-	-	O	-	-	-
	Set of long ramps H=50 or on-floor version, for ERCO500F and ERCO505F	8-41100209		-	O	-	-	-	O	-	-
	Extensions for pipes 1 mt. (cables and protection cover included)	8-41100159		O	O	O	O	O	O	O	O
	Extensions for pipes 2 mt. (cables and protection cover included)	8-41100160		O	O	O	O	O	O	O	O
	Angle pipe protection cover	8-41100143		O	O	-	-	O	O	-	-

OPTIONAL ACCESSORIES

Image	Description	Code								
				Erco 500	Erco 500 F	Erco 500 FI	Erco 500 I	Erco 505	Erco 505 F	Erco 505 FI
	Off-the-road vehicle cross bar (2 pcs).	8-42300047		O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 80 mm.	8-42300027		O	O	O	O	O	O	O
	Kit of 4 rubber blocks height 40 mm.	8-42300028		O	O	O	O	O	O	O
	Frame set for ERCO 500I and ERCO 505I	8-41100170					O			O
	Frame set for ERCO 500FI and ERCO 505FI	8-41100169				O			O	
CIVIL WORKS - RESEARCH CODES FOR THE WEBSITE PRIVATE AREA - ONLY FOR IN-PIT VERSIONS										
0-410002ERCO500I										
0-410002ERCO500FI										
0-410002ERCO505I										
0-410002ERCO505FI										


ERCO 25 TP



2500

Code	Description	
0-44100301/16	ERCO 25 TP, lift for cars and light transport vehicles, access ramps and 4 pads included.	

OPTIONAL ACCESSORIES - ERCO 25 TP

Image	Description	Code	
	Set of 4 revolving arms	8-42600015	

BL600

(manual wheel fixing sickle clamp)



Code	Electrical Supply	Description	
0-42103802/16	230V / 1Ph / 50Hz	BL600	
0-42103803/16	230V / 1Ph / 60Hz	BL600	
0-42103801/16	230V / 3Ph / 50-60Hz	BL600	
0-42103800/16	400V / 3Ph / 50-60Hz	BL600	
0-42104900/16	AIRHYDRAULIC	BL600 P	




BL300

(manual wheel fixing sickle clamp)




Code	Electrical Supply	Description	
0-42103600/16	Airhydraulic	BL300	

OPTIONAL ACCESSORIES - BL600 - BL300

Image	Description	Code		BL600	BL300
	PC Pneumatic manual fixing sickle clamp.	8-42600001		O	O
	ML Manual wheel fixing sickle clamp.	8-42600002		O	O
	Pneumatic wheel fixing sickle clamp, pedal operated.	8-42600006		O	O
	Wearproof top	8-42600010		-	O
	Spent oil recovery tank	8-42600011		-	O

OPTIONAL ACCESSORIES - BL600 - BL300

Image	Description	Code		BL600	BL300
IMAGE NOT AVAILABLE	Spent oil recovery tank	8-42300006		O	-
	Tools holder	8-42600012		-	O
	Support for side stand	8-42300002		O	O
	Fixing belts (pair)	8-42300003		O	O
	Drive-throught kit (only for BL600)	8-42300004		O	-
IMAGE NOT AVAILABLE	In-pit installation kit (only for BL600 electro-hydraulic version)	8-41600017		O	-

OPTIONAL ACCESSORIES - BL600 - BL300

Image	Description	Code		BL600	BL300
	Set of 4 runways side extensions	8-42300008		O	-
	CM300 Stand kit 300 kg capacity	8-45600001		O	O
	Stand kit for CM 300 (4 pcs: 2 long and 2 short)	8-45600005		O	O



Code	Description	
4330010100/16	CA002 CE lifting capacity 2000 kg	
4330070000/16	CA118 lifting capacity 16000 kg	
4330060000/16	CA240 lifting capacity 28000 kg	
4330080000/16	CA240P lifting capacity 28000 kg	
4330040000/16	CA330 lifting capacity 60000 kg	
4330050000/16	CA440 lifting capacity 40000 kg	

LIFTS FOR TRUCKS AND INDUSTRIAL VEHICLES WITH MOBILE COLUMNS

ERCO-LE 75 SERIES



VERSION WITH
ADJUSTABLE FORKS



WITH HELM
HYDRAULIC CONTROL



7500



Code	Electrical Supply	Description	
0-43106300/15	400V/3Ph/50Hz	ERCO-LE 75-4 Set of 4 electromechanical mobile columns, 7.5 tons	
0-43106302/15	230V/3Ph/60Hz	ERCO-LE 75-4 Set of 4 electromechanical mobile columns, 7.5 tons	
0-43106310/15	400V/3Ph/50Hz	ERCO-LE 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to ERCO-LE 75-4)	
0-43106312/15	230V/3Ph/60Hz	ERCO-LE 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to ERCO-LE 75-4)	
0-43106330/15	400V/3Ph/50Hz	ERCO-LE 75-4 Set of 4 electromechanical mobile columns, 7.5 tons, with adjustable forks	
0-43106332/15	230V/3Ph/60Hz	ERCO-LE 75-4 Set of 4 electromechanical mobile columns, 7.5 tons, with adjustable forks	
0-43106340/15	400V/3Ph/50Hz	ERCO-LE 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to ERCO-LE 75-4) with adjustable forks	
0-43106342/15	230V/3Ph/60Hz	ERCO-LE 75-2 Set of 2 electromechanical mobile columns, 7.5 tons (in addition to ERCO-LE 75-4) with adjustable forks	

LIFTS FOR TRUCKS AND INDUSTRIAL VEHICLES WITH MOBILE COLUMNS

ERCO-LE 55 SERIES



VERSION WITH
ADJUSTABLE FORKS



WITH HELM
MECHANICAL
OPERATION





7500




Code	Electrical Supply	Description	
0-43106800/15	400V/3Ph/50Hz	ERCO-LE 55-4 Set of 4 electromechanical mobile columes, 5.5 tons.	
0-43106802/15	230V/3Ph/60Hz	ERCO-LE 55-4 Set of 4 electromechanical mobile columes, 5.5 tons.	
0-43106810/15	400V/3Ph/50Hz	ERCO-LE 55-2 Set of 2 electromechanical mobile columes, 5.5 tons (in addition to ERCO-LE 55-4)	
0-43106812/15	230V/3Ph/60Hz	ERCO-LE 55-2 Set of 2 electromechanical mobile columes, 5.5 tons (in addition to ERCO-LE 55-4)	
0-43106830/15	400V/3Ph/50Hz	ERCO-LE 55-4 Set of 4 electromechanical mobile columes, 5.5 tons, with adjustable forks.	
0-43106832/15	230V/3Ph/60Hz	ERCO-LE 55-4 Set of 4 electromechanical mobile columes, 5.5 tons, with adjustable forks.	
0-43106840/15	400V/3Ph/50Hz	ERCO-LE 55-2 Set of 2 electromechanical mobile columes, 5.5 tons (in addition to ERCO-LE 55-4) with adjustable forks.	
0-43106842/15	230V/3Ph/60Hz	ERCO-LE 55-2 Set of 2 electromechanical mobile columes, 5.5 tons (in addition to ERCO-LE 55-4) with adjustable forks.	

OPTIONAL ACCESSORIES - ERCO-LE 75 - ERCO-LE 55

Image	Description	Code	
	Complete remote control unit	8-43100208	
	Complete cart	8-43100210/00	
	Extensions for forks 150mm (2cs); for one column	8-43120008	
	Adapters kit for wheels Ø700 to 500 mm (2 pcs); for one column	8-43120009	
	Adapters kit for wheels Ø800 to 700 mm (2 pcs); for one column	8-43120010	
	Adapters kit for wheels Ø900 to 800 mm (2 pcs); for one column	8-43120011	

OPTIONAL ACCESSORIES - ERCO-LE 75 - ERCO-LE 55

Image	Description	Code	
	Free crossbar wheels, 15 tons	8-43120012	
	Warning light, for one column	8-43120013	
	One small column H 1403/2000 mm, with 70mmscrew, 7.5 tons	8-43120014	
	One small column H 1403/2000 mm, with 70mmscrew, 10 tons	8-43120015	
	10 mt-cable + connection kit for 6 to 8 columns	8-43120016	

SERIE BROOKLYN

Version without LIFT TABLE



Code	Electrical Supply	Description	
0-42114000/15	400V/3PH/50-60Hz	BROOKLYN 10/5,8 - electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, on-floor installation	
0-42114001/15	230V/3PH/50Hz	BROOKLYN 10/5,8 - electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, on-floor installation	
0-42114010/15	400V/3PH/50-60Hz	BROOKLYN 10/5,8 I - electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, in-pit installation	
0-42114011/15	230V/3PH/50Hz	BROOKLYN 10/5,8 I - electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, in-pit installation	

Code	Electrical Supply	Description	
0-42114200/15	400V/3PH/50-60Hz	BROOKLYN 10/5,8 CT-PLATE - fitted with recess for plates H=65, electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, on-floor installation .	
0-42114201/15	230V/3PH/50Hz	BROOKLYN 10/5,8 CT-PLATE - fitted with recess for plates H=65, electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, on-floor installation	
0-42114210/15	400V/3PH/50-60Hz	BROOKLYN 10/5,8 I CT-PLATE - fitted with recess for plates H=65, electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, in-pit installation	
0-42114211/15	230V/3PH/50Hz	BROOKLYN 10/5,8 I CT-PLATE - fitted with recess for plates H=65, electronic synchronization, mechanical safety, flat runways, platforms 5800x850mm, loading capacity 10 tons, in-pit installation	
0-42114300/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/7,5 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 7500mm, loading capacity 20 tons, on-floor installation	
0-42114301/15	230V/3PH/50Hz	BROOKLYN M/S 20/7,5 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 7500mm, loading capacity 20 tons, on-floor installation	
0-42114310/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/7,5 I - volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 7500mm, loading capacity 20 tons, in-pit installation	
0-42114311/15	230V/3PH/50Hz	BROOKLYN M/S 20/7,5 I - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 7500mm, loading capacity 20 tons, in-pit installation	
0-42114400/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/7,5 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 7500mm, loading capacity 20 tons, on-floor installation	
0-42114401/15	230V/3PH/50Hz	BROOKLYN M/S 20/7,5 PG-M - play detector, volumetric hydraulic system , master slave without mechanical safety, flat runways, platforms 7500mm, loading capacity 20 tons, on-floor installation	
0-42114410/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/7,5 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 7500mm, loading capacity 20 tons, in-pit installation	
0-42114411/15	230V/3PH/50Hz	BROOKLYN M/S 20/7,5 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 7500mm, loading capacity 20 tons, in-pit installation	
0-42114500/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/9,2 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 9200mm, loading capacity 20 tons, on-floor installation	
0-42114501/15	230V/3PH/50Hz	BROOKLYN M/S 20/9,2 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 9200mm, loading capacity 20 tons, on-floor installation	
0-42114510/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/9,2 I - volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 9200mm, loading capacity 20 tons, in-pit installation	

Code	Electrical Supply	Description	
0-42114511/15	230V/3PH/50Hz	BROOKLYN M/S 20/9,2 I - volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 9200mm, loading capacity 20 tons, in-pit installation	
0-42114600/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/9,2 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 9200mm, loading capacity 20 tons, on-floor installation	
0-42114601/15	230V/3PH/50Hz	BROOKLYN M/S 20/9,2 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 9200mm, loading capacity 20 tons, on-floor installation	
0-42114610/15	400V/3PH/50-60Hz	BROOKLYN M/S 20/9,2 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 9200mm, loading capacity 20 tons, in-pit installation .	
0-42114611/15	230V/3PH/50Hz	BROOKLYN M/S 20/9,2 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 9200mm, loading capacity 20 tons, in-pit installation	
0-42114700/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/11,25 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 11500mm, loading capacity 30 tons, on-floor installation .	
0-42114701/15	230V/3PH/50Hz	BROOKLYN M/S 30/11,25 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 11500mm, loading capacity 30 tons, on-floor installation	
0-42114710/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/11,25 I - volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 11500mm, loading capacity 20 tons, in-pit installation	
0-42114711/15	230V/3PH/50Hz	BROOKLYN M/S 30/11,25 I - volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 11500mm, loading capacity 30 tons, in-pit installation	
0-42114800/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/11,25 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 11500mm, loading capacity 30 tons, on-floor installation	
0-42114801/15	230V/3PH/50Hz	BROOKLYN M/S 30/11,25 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 11500mm, loading capacity 30 tons, on-floor installation	
0-42114810/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/11,25 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 11500mm, loading capacity 30 tons, in-pit installation	
0-42114811/15	230V/3PH/50Hz	BROOKLYN M/S 30/11,25 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 11500mm, loading capacity 30 tons, in-pit installation	
0-42114900/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/13,80 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 13800mm, loading capacity 30 tons, on-floor installation	
0-42114901/15	230V/3PH/50Hz	BROOKLYN M/S 30/13,80 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 13800mm, loading capacity 30 tons, on-floor installation	

Code	Electrical Supply	Description	
0-42114910/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/13,80 I - volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 13800mm, loading capacity 30 tons, in-pit installation	
0-42114911/15	230V/3PH/50Hz	BROOKLYN M/S 30/13,80 I - volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 13800mm, loading capacity 30 tons, in-pit installation	
0-42115000/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/13,80 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 13800mm, loading capacity 20 tons, on-floor installation	
0-42115001/15	230V/3PH/50Hz	BROOKLYN M/S 30/13,80 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 13800mm, loading capacity 20 tons, on-floor installation .	
0-42115010/15	400V/3PH/50-60Hz	BROOKLYN M/S 30/13,80 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 13800mm, loading capacity 20 tons, in-pit installation .	
0-42115011/15	230V/3PH/50Hz	BROOKLYN M/S 30/13,80 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety , flat runways, platforms 13800mm, loading capacity 20 tons, in-pit installation .	
0-42115100/15	400V/3PH/50-60Hz	BROOKLYN M/S 40/15 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 15000mm, loading capacity 40 tons, on-floor installation .	
0-42115101/15	230V/3PH/50Hz	BROOKLYN M/S 40/15 - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 15000mm, loading capacity 40 tons, on-floor installation .	
0-42115110/15	400V/3PH/50-60Hz	BROOKLYN M/S 40/15 I - volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 15000mm, loading capacity 40 tons, in-pit installation .	
0-42115111/15	230V/3PH/50Hz	BROOKLYN M/S 40/15 I - volumetric hydraulic system, master slave without mechanical safet , flat runways, platforms 15000mm, loading capacity 40 tons, in-pit installation .	
0-42115200/15	400V/3PH/50-60Hz	BROOKLYN M/S 40/15 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 15000mm, loading capacity 40 tons, on-floor installation .	
0-42115201/15	230V/3PH/50Hz	BROOKLYN M/S 40/15 PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 15000mm, loading capacity 40 tons, on-floor installation .	
0-42115210/15	400V/3PH/50-60Hz	BROOKLYN M/S 40/15 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 15000mm, loading capacity 40 tons, in-pit installation .	
0-42115211/15	230V/3PH/50Hz	BROOKLYN M/S 40/15 I PG-M - play detector, volumetric hydraulic system, master slave without mechanical safety, flat runways, platforms 15000mm, loading capacity 40 tons, in-pit installation .	

SERIE BROOKLYN

Version with LIFT TABLE



Code	Electrical Supply	Description	
0-42114100/15	400V/3PH/50-60Hz	BROOKLYN 10/5,8 LT - electronic synchronization, mechanical safety, flat runways, platforms 5800x750+160mm LT , loading capacity 10 tons, on-floor installation	
0-42114101/15	230V/3PH/50Hz	BROOKLYN 10/5,8 LT - electronic synchronization, mechanical safety, flat runways, platforms 5800x750+160mm LT , loading capacity 10 tons, on-floor installation	
0-42114110/15	400V/3PH/50-60Hz	BROOKLYN 10/5,8 I LT - electronic synchronization, mechanical safety, flat runways, platforms 5800x750+160mm LT , loading capacity 10 tons, in-pit installation	
0-42114111/15	230V/3PH/50Hz	BROOKLYN 10/5,8 I LT - electronic synchronization, mechanical safety, flat runways, platforms 5800x750+160mm LT , loading capacity 10 tons, in-pit installation	

COMPULSORY ACCESSORIES - BROOKLYN

Image	Description	Code	
IMAGE NOT AVAILABLE	TRUCK RP 10T kit - floor ramps (2 pcs) for all 10/5,8 ton lifts, included LT and CT Plate on-floor versions	8-42100187/00	
IMAGE NOT AVAILABLE	TRUCK RP 20/30/40T kit - floor ramps (2 pcs) for all 20/7,5-20/9,2-30/11,25-30/13,8-40/15 lifts, included PG-M on-floor version	8-42100188/00	
IMAGE NOT AVAILABLE	TRUCK FP kit - flaps (2 pcs) for all in-pit lifts (I versions)	8-42100189/00	
IMAGE NOT AVAILABLE	TRUCK SP kit - wheel block (2 pcs) for all lifts, both on-floor and in-pit versions	8-42100190/00	

OPTIONAL ACCESSORIES - BROOKLYN

Image	Description	Code	
	TRUCK TUB-10 , pipes extention kit for control unit, 2mt for 10T version	8-42100191	
	TRUCK TUB-10LT , pipes extention kit for control unit, 2mt for 10T LT version	8-42100192	
	TRUCK TUB-20 , pipes extention kit for control unit, 2mt for 20T version	8-42100195	
	TRUCK TUB-30 , pipes extention kit for control unit, 2mt for 30T version	8-42100196	
	TRUCK TUB-40 , pipes extention kit for control unit, 2mt for 40T version	8-42100197	
	TRUCK TUB-10 , pipes extention kit for control unit, 4mt for 10T version	8-42100198	
	TRUCK TUB-10LT , pipes extention kit for control unit, 4mt for 10T LT version	8-42100199	
	TRUCK TUB-20 , pipes extention kit for control unit, 4mt for 20T version	8-42100202	
	TRUCK TUB-30 , pipes extention kit for control unit, 4mt for 30T version	8-42100203	
	TRUCK TUB-40 , pipes extention kit for control unit, 4mt for 40T version	8-42100204	
	TRUCK TUB-PG-M , pipes extention kit for control unit, 2mt for PG-M version	8-42100205	
	TRUCK TUB-PG-M , pipes extention kit for control unit, 4mt for PG-M version	8-42100206	
	TRUCK lighting system, 4 led tubes	8-42100207	
	TRUCK lighting system, 6 led tubes	8-42100208	
	TRUCK RC - 10mt remote control kit	8-42100209	
	PROT Antioxidant protection treatment (on quotation)	8-42100145T	



NEXION S.p.A.

Strada Statale 468 n° 9 - 42015 CORREGGIO - R.E. - ITALY

Tel. +39 0522 639.111 - Fax +39 0522 639.150 - www.corgi.com - info@corgi.com



To protect the planet and reduce paper usage, our catalogues are viewable online at the website www.corgi.com. Printing responsibly contributes to saving the environment.

The manufacturer reserves the right to modify the features of its products at any time.
Code DPCC000004E_LE_EX-11-2023